



## Specifications

### Engine

• TYPE	V12 - 65°
• OVERALL DISPLACEMENT	6496cc
• BORE AND STROKE	94x78mm
• MAX. POWER OUTPUT*	588 kW (800 cv) at 8,500 rpm
• MAX. TORQUE*	718 Nm at 7,000 rpm
• MAX. ENGINE SPEED	8900rpm
• COMPRESSION RATIO	13,6:1

### Dimension and weight

• LENGTH	4,657mm
• WIDTH	1,971mm
• HEIGHT	1,276mm
• WHEELBASE	2,720mm

• FRONT TRACK	1,672mm
• REAR TRACK	1,645mm
• KERB WEIGHT**	1,630kg
• DRY WEIGHT**	1,525kg
• WEIGHT DISTRIBUTION	47% front - 53% rear
• FUEL TANK CAPACITY	92l

## Wheels & tyres

• FRONT	275/35 ZR20; 10" J x 20"
• REAR	315/35 ZR20; 11.5" J x 20"

## Brakes

• FRONT	398x38mm
• REAR	60x32mm

## Transmission/gearbox

• 4WS/ 7-SPEED F1 DCT/ E-DIFF3
--------------------------------

## Electronic controls

• SSC5/CST WITH F1-TRAC, ESP 9.1 PREMIUM WITH HIGH-PERFORMANCE ABS/EBD, DUAL-COIL SCM-E
---

## Performance

• MAX. SPEED	340km/h
• 0-100 KM/H	2.9sec
• 0-200 KM/H	7.9sec
• 100-0 KM/H	32
• DRY WEIGHT/POWER	1.9 kg

## Fuel consumption

- |              |              |
|--------------|--------------|
| • LOW        | 25,2l/100 km |
| • MID        | 15,2l/100 km |
| • HIGH       | 14,1l/100 km |
| • EXTRA HIGH | 15l/100 km   |
| • COMBINED   | 16,1l/100 km |

- NOTE: THE VALUES OF FUEL CONSUMPTIONS AND CO<sub>2</sub> EMISSIONS SHOWN WERE DETERMINED ACCORDING TO THE EUROPEAN REGULATION (EC) 715/2007 IN THE VERSION APPLICABLE AT THE TIME OF TYPE APPROVAL The fuel consumption and CO<sub>2</sub> emission figures refer to the WLTP cycle.

## CO<sub>2</sub> emissions

- |              |         |
|--------------|---------|
| • LOW        | 573g/km |
| • MID        | 345g/km |
| • HIGH       | 320g/km |
| • EXTRA HIGH | 340g/km |
| • COMBINED   | 366g/km |

- NOTE: THE VALUES OF FUEL CONSUMPTIONS AND CO<sub>2</sub> EMISSIONS SHOWN WERE DETERMINED ACCORDING TO THE EUROPEAN REGULATION (EC) 715/2007 IN THE VERSION APPLICABLE AT THE TIME OF TYPE APPROVAL The fuel consumption and CO<sub>2</sub> emission figures refer to the WLTP cycle.

## Notes

- \*Engine power is expressed in kW, in accordance with the International System of Units (SI) and in CV for reasons of homogeneity. With 98 octane-rated petrol